

Manufacturer (trade mark):	Clover Germany	Type/Model OEM:	CF361X
Lot/Part number:	DPCM553CE	Toner color(s):	CYAN
Main application:	To be used on the relevant printers according to remanufacturer instructions		
Intended yield:	9500		
Test device:	JPBVJ9M1PF / CNBVH5N0LZ / JPBVJ370X5	Take over value of existing test protocol :	(box) Yes, from ISO19798
Test climate:			
Temperature:	24	Relative humidity:	45
Deviations of the determined test conditions			
Tester 1):	Aleksandar Kojic	Test location 2):	CLOVER SERBIA
Test date:	12.04.2018		

1) If values are taken over from test protocol, the signing person is responsible, that the protocols, from which the values have been taken off, are plausible and correct.

2) Either testing place or place where the protocol is made

Test sample (A)	Type	Used for valuation	Charge/Serial number
1	14403	Yes	Sample 1
2	11689	Yes	Sample 2
3	11771	Yes	Sample 3
4	13838	We use for A1 the MAX, for A2 the MEDIAN and for A3 the MIN value of the list at left	Sample 4
5	11319	Yes	Sample 5
6	13167	Yes	Sample 6
7	13173	Yes	Sample 7
8	11444	Yes	Sample 8
9	11530	Yes	Sample 9
Comparing Sample (B)	Type	Used for valuation	Charge/Serial number
1	9500	Yes/no	OEM Sample/Spec
2	9500	Yes/no	OEM Sample/Spec
3	9500	Yes/no	OEM Sample/Spec
4		Yes/no	
5		Yes/no	

OEM data taken from OEMs own ISO19752 or ISO19798 declarations of yield

Administrative checking of health related attributes (5.2)

Is there an EG- Safety Data Sheet of the used toner?

Yes/no Yes

If there are no information of the AMES test in the EG Safety Data Sheet

Yes/no Not Applicable

Is there a test report about the AMES test of the used toner?

If not: Description All MSDSs mention Ames test

Checking the influence of the toner module on the printer (5.3)

Is the toner leaking less than the original?

Yes/no Yes

Is the interaction between printer and toner module acceptable?

Yes/no Yes

If not: Description

Checking the initialization (5.4)

Is the print out acceptable right after the toner module has been inserted?

Yes/no Yes

If not: Describe fault

Checking the yield number (5.5)

CYAN

	1	2	3	Average (\bar{A} or V)
Yield A: $(A1+A2+A3)/3 = \bar{A}$	14403	11771	11319	12498
Yield V: $(V1+V2+V3)/3 = V$	9500	9500	9500	9500

Alternative:

Yield A: Result of test after ISO/IEC 19752 \bar{A}

Reference to the test protocol:

Test date:

Yield V: Result of test after ISO/IEC 19752 V

Reference to the test protocol:

Test date:

Result: EZ= \bar{A}/V

Yes	No	Not Applicable
YES		
YES		

Is the expected yield (EZ) reached?

Is the expected page yield reached?

Checking the black print/Color reproduction (5.6.2)

Average value of the 2 areas F test print A1:

49,7

Average value of the 2 areas F comparing print V1:

52,5

Yes/No/Not Applicable	Not Applicable
Yes/No/Not Applicable	Yes

Difference is not higher than $\Delta \leq 5$ for Monochrom

Color difference $\Delta E \leq 18$ for Color

2,8

Average value of the 2 areas F test print A2:

45,6

Average value of the 2 areas F comparing print V2:

52,5

Yes/No/Not Applicable	Not Applicable
Yes/No/Not Applicable	Yes

Difference is not higher than $\Delta \leq 5$ for Monochrom

Color difference $\Delta E \leq 18$ for Color

6,9

Average value of the 2 areas F test print A3:

45,3

Average value of the 2 areas F comparing print V3:

52,8

Yes/No/Not Applicable	Not Applicable
Yes/No/Not Applicable	Yes

Difference is not higher than $\Delta \leq 5$ for Monochrom

Color difference $\Delta E \leq 18$ for Color

Not Applicable

Color difference $\Delta E \leq 18$ for Color 7,5Yes/No/Not Applicable Yes**Checking the fade (5.6.3)****CYAN****Test print A1**

Color values 1 6 A F after 50 pages	1	6	A	F
Color values 1 6 A F The biggest deviation	1,9	2,8	2,7	2,7
Comparing print V1				
Color values 1 6 A F after 50 pages	1	6	A	F
Color values 1 6 A F The biggest deviation	1,1	1,1	1,7	1,9
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	0,8	1,7	1	0,8
Difference within allowed parameters	YES	YES	YES	YES

Test print A2 CYAN

Color values 1 6 A F after 50 pages	1	6	A	F
Color values 1 6 A F The biggest deviation	1,8	0,8	4,1	4,4
Comparing print V2				
Color values 1 6 A F after 50 pages	1	6	A	F
Color values 1 6 A F The biggest deviation	0,9	1	1,6	1,2
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	1	0,2	2,5	3,2
Difference within allowed parameters	YES	YES	YES	YES

Test print A3 CYAN

Color values 1 6 A F after 50 pages	1	6	A	F
Color values 1 6 A F The biggest deviation	2,1	2,5	4,1	3,8
Comparing print V2				
Color values 1 6 A F after 50 pages	1	6	A	F
Color values 1 6 A F The biggest deviation	1	1,1	1,6	1,4
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	1,1	1,4	2,5	2,4
Difference within allowed parameters	YES	YES	YES	YES

Checking toner adhesion

Test process: visual (tape method):

Is the resistance in between the acceptable parameters? Yes
 If not: Describe deviation

Checking the grey page/color uniformity (5.6.5)

Are the color differences in between the acceptable parameters (pattern B2-B5) $\Delta E \leq 8$? Yes
 If not: Describe deviation

Checking the background (5.6.6)

Is the background smudge between the acceptable parameters (pattern B1-B5)? Yes
 If not: Describe deviation

Checking the ghosting (5.6.7)

Is the repeating of the back rectangles in between the acceptable parameters (pattern B2-B5)? Yes
 If not: Describe deviation

Checking toner miscibility (5.6.8)

Is the toner miscibility given? N/A
 If not: Describe deviation

OVERALL RESULT: Passed