

Manufacturer (trade mark): Lot/Part number:	Clover Germany DPCTK5150YE	Type/Model OEM: Toner color(s):	TK-5150Y YELLOW
Main application:	To be used on the relevant printers according to remanufacturer instructions		
Intended yield:	10000 V5U5Z08029 / V5U5Z08682 / V5U5Z08347	Take over value of existing test protocol :	
Test device:	25	(box)	Yes, from ISO19798
Test climate:			
Temperature:	43		
Deviations of the determined test conditions			
Tester 1):	Aleksandar Kojic		
Test date:	6.12.2017		

1) If values are taken over from test protocol, the signing person is responsible, that the protocols, from which the values have been taken off, are plausible and correct.

2) Either testing place or place where the protocol is made

Test sample (A)	Type	Used for valuation	Charge/Serial number
1 12900		Yes	Sample 1
2 12540		Yes	Sample 2
3 12781		Yes We use for A1 the	Sample 3
4 12500		Yes MAX, for A2 the	Sample 4
5 12369		Yes MEDIAN and for A3 the	Sample 5
6 12781		Yes MIN value of the list at	Sample 6
7 11955		Yes left	Sample 7
8 12230		Yes	Sample 8
9 11825		Yes	Sample 9

Comparing Sample (B)	Type	Used for valuation	Charge/Serial number
1 10000		Yes	OEM Sample/Spec
2 10000		Yes	OEM Sample/Spec
3 10000		Yes	OEM Sample/Spec
4		Yes/no	
5		Yes/no	

Administrative checking of health related attributes (5.2)

Is there an EG- Safety Data Sheet of the used toner?

Yes/no **Yes**

If there are no information of the AMES test in the EG Safety Data Sheet

Yes/no **Not Applicable**

Is there a test report about the AMES test of the used toner?

If not: Description **All MSDSs mention Ames test**

Checking the influence of the toner module on the printer (5.3)

Is the toner leaking less than the original?

Yes/no **Yes**

Is the interaction between printer and toner module acceptable?

Yes/no **Yes**

If not: Description

Checking the initialization (5.4)

Is the print out acceptable right after the toner module has been inserted?

Yes/no **Yes**

If not: Describe fault

Checking the yield number (5.5)

	YELLOW			Average (Å or V)
	1	2	3	
Yield A: $(A1+A2+A3)/3 = \bar{A}$	12900	12500	11825	12408
Yield V: $(V1+V2+V3)/3 = \bar{V}$	10000	10000	10000	10000

Alternative:

Yield A: Result of test after ISO/IEC 19752 Å

Reference to the test protocol:

Test date:

Yield V: Result of test after ISO/IEC 19752 V

Reference to the test protocol:

Test date:

Result: EZ=Å/V

Yes	No	Not Applicable
YES		
YES		

Is the expected yield (EZ) reached?

Is the expected page yield reached?

Checking the black print/Color reproduction (5.6.2)

Average value of the 2 areas F test print A1: 88,6

Average value of the 2 areas F comparing print V1: 87,8

Difference is not higher than $\Delta \leq 5$ for Monochrom

Color difference $\Delta E \leq 18$ for Color 0,8

Yes/No/Not Applicable **Not Applicable**

Yes/No/Not Applicable **Yes**

Average value of the 2 areas F test print A2: 87

Average value of the 2 areas F comparing print V2: 87,5

Difference is not higher than $\Delta \leq 5$ for Monochrom

Color difference $\Delta E \leq 18$ for Color 0,5

Yes/No/Not Applicable **Not Applicable**

Yes/No/Not Applicable **Yes**

Average value of the 2 areas F test print A3: 86,9

Average value of the 2 areas F comparing print V3: 87,2

Difference is not higher than $\Delta L \leq 5$ for Monochrom
Color difference $\Delta E \leq 18$ for Color

Not Applicable	0,3
----------------	-----

Yes/No/Not Applicable
Yes/No/Not Applicable

Not Applicable	Yes
----------------	-----

Checking the fade (5.6.3)**YELLOW****Test print A1**

Color values 1 6 A F after 50 pages	1	6	A	F	88,4
Color values 1 6 A F The biggest deviation	1	6	A	F	2,2
Comparing print V1	0,9	0,2	1,9		
Color values 1 6 A F after 50 pages	1	6	A	F	87,9
Color values 1 6 A F The biggest deviation	1	6	A	F	0,4
Result determination	1	6	A	F	
Difference $\Delta L \leq 8$	0,3	0,3	1		1,8
Difference within allowed parameters	YES	YES	YES	YES	

Test print A2 YELLOW

Color values 1 6 A F after 50 pages	1	6	A	F	88,5
Color values 1 6 A F The biggest deviation	1	6	A	F	2,5
Comparing print V2	1,2	1,1	2,1		
Color values 1 6 A F after 50 pages	1	6	A	F	87,6
Color values 1 6 A F The biggest deviation	1	6	A	F	0,6
Result determination	1	6	A	F	
Difference $\Delta L \leq 8$	0	0,1	1,3		1,9
Difference within allowed parameters	YES	YES	YES	YES	

Test print A3 YELLOW

Color values 1 6 A F after 50 pages	1	6	A	F	87,2
Color values 1 6 A F The biggest deviation	1	6	A	F	0,8
Comparing print V2	0,6	0,3	1,1		
Color values 1 6 A F after 50 pages	1	6	A	F	87,3
Color values 1 6 A F The biggest deviation	1	6	A	F	0,2
Result determination	1	6	A	F	
Difference $\Delta L \leq 8$	0,5	0,7	0,4		0,6
Difference within allowed parameters	YES	YES	YES	YES	

Checking toner adhesion

Test process: visual (tape method):

Is the resistance in between the acceptable parameters?

If not: Describe deviation

Yes

Checking the grey page/color uniformity (5.6.5)Are the color differences in between the acceptable parameters (pattern B2-B5) $\Delta E \leq 8$?

If not: Describe deviation

Yes

Checking the background (5.6.6)

Is the background smudge between the acceptable parameters (pattern B1-B5)?

If not: Describe deviation

Yes

Checking the ghosting (5.6.7)

Is the repeating of the back rectangles in between the acceptable parameters (pattern B2-B5)?

If not: Describe deviation

Yes

Checking toner miscibility (5.6.8)

Is the toner miscibility given?

If not: Describe deviation

Yes

OVERALL RESULT: Passed