

Manufacturer (trade mark):	<b>Clover Germany</b>	Type/Model OEM:	TK-1130
Lot/Part number:	<b>TK-1130XXL</b>	Toner color(s):	<b>Monochrome</b>
Main application:	To be used on the relevant printers according to remanufacturer instructions		
Intended yield:	6000	Take over value of existing test protocol :	(box) <b>Yes, from ISO19752</b>
Test device:	LVQ5X60880 / LVQ5X61032 / LVQ5X61031		
Test climate:			
Temperature:	25	Relative humidity:	45
Deviations of the determined test conditions		Test location 2):	<b>CLOVER SERBIA</b>
Tester 1):	Aleksandar Kojic		
Test date:	<b>30.5.2016</b>		

1) If values are taken over from test protocol, the signing person is responsible, that the protocols, from which the values have been taken off, are plausible and correct.  
 2) Either testing place or place where the protocol is made

Test sample (A)	Type	Used for valuation	Charge/Serial number
1	7365	Yes	Sample 1
2	7410	Yes	Sample 2
3	7320	Yes We use for A1 the	Sample 3
4	7059	Yes MAX, for A2 the	Sample 4
5	7650	Yes MEDIAN and for A3 the	Sample 5
6	7215	Yes MIN value of the list at	Sample 6
7	7122	Yes left	Sample 7
8	7455	Yes	Sample 8
9	7327	Yes	Sample 9

  

Comparing Sample (B)	Type	Used for valuation	Charge/Serial number
1	3000	Yes/no Yes	OEM Sample/Spec
2	3000	Yes/no Yes	OEM Sample/Spec
3	3000	Yes/no Yes	OEM Sample/Spec
4		Yes/no	
5		Yes/no	

OEM data taken from OEMs own ISO19752 or ISO19798 declarations of yield

**Administrative checking of health related attributes (5.2)**

Is there an EG- Safety Data Sheet of the used toner? Yes/no **Yes**

If there are no information of the AMES test in the EG Safety Data Sheet

Is there a test report about the AMES test of the used toner? Yes/no **Not Aplicable**

If not: Description **All MSDSs mention Ames test**

**Checking the influence of the toner module on the printer (5.3)**

Is the toner leaking less than the original? Yes/no **Yes**

Is the interaction between printer and toner module acceptable? Yes/no **Yes**

If not: Description

**Checking the initialization (5.4)**

Is the print out acceptable right after the toner module has been inserted? Yes/no **Yes**

If not: Describe fault

**Checking the yield number (5.5)**

	Monochrome			Average (Ā or V)
	1	2	3	
Yield A: (A1+A2+A3)/3= Ā	7650	7327	7059	7345
Yield V: (V1+V2+V3)/3=V	3000	3000	3000	3000

**Alternative:**

Yield A: Result of test after ISO/IEC 19752 Ā

Reference to the test protocol:

Test date:

Yield V: Result of test after ISO/IEC 19752 V

Reference to the test protocol:

Test date:

Result: EZ=Ā/V

	Yes	No	Not Aplicable
Is the expected yield (EZ) reached?	<b>YES</b>		
Is the expected page yield reached?	<b>YES</b>		

**Checking the black print/Color reproduction (5.6.2)**

Average value of the 2 areas F test print A1: 26,8

Average value of the 2 areas F comparing print V1: 27,9

Difference is not higher than Δ≤5 for Monochrome **1,1** Yes/No/Not Aplicable **Yes**

Color difference ΔE≤18 for Color **Not applicable** Yes/No/Not Aplicable **Not Aplicable**

Average value of the 2 areas F test print A2:	24,5
Average value of the 2 areas F comparing print V2:	29
Difference is not higher than $\Delta \leq 5$ for Monochrome	4,5
Color difference $\Delta E \leq 18$ for Color	Not aplicable
Average value of the 2 areas F test print A3:	25,7
Average value of the 2 areas F comparing print V3:	28,2
Difference is not higher than $\Delta \leq 5$ for Monochrome	2,5
Color difference $\Delta E \leq 18$ for Color	Not aplicable

Yes/No/Not Aplicable	Yes
Yes/No/Not Aplicable	Not Aplicable
Yes/No/Not Aplicable	Yes
Yes/No/Not Aplicable	Not Aplicable

**Checking the fade (5.6.3)**

**Monochrome**

**Test print A1**

Color values 1 6 A F	1	6	A	F
after 50 pages	89	78,7	58,7	26,3
Color values 1 6 A F	1	6	A	F
The biggest deviation	0,9	0,2	1,2	1,2

**Comparing print V1**

Color values 1 6 A F	1	6	A	F
after 50 pages	90,4	81,8	60,3	29,2
Color values 1 6 A F	1	6	A	F
The biggest deviation	0,6	3	6,6	2

**Result determination**

Difference $\Delta L \leq 8$	1	6	A	F
	0,3	2,8	5,4	0,8
Difference within allowed parameters	YES	YES	YES	YES

**Test print A2 Monochrome**

Color values 1 6 A F	1	6	A	F
after 50 pages	89,2	76,1	53,5	23,9
Color values 1 6 A F	1	6	A	F
The biggest deviation	0,4	2,4	2,8	1,3

**Comparing print V2**

Color values 1 6 A F	1	6	A	F
after 50 pages	91,8	82,4	61,1	30
Color values 1 6 A F	1	6	A	F
The biggest deviation	3	4,7	7,9	2,1

**Result determination**

Difference $\Delta L \leq 8$	1	6	A	F
	3	2,3	5,1	0,8
Difference within allowed parameters	YES	YES	YES	YES

**Test print A3 Monochrome**

Color values 1 6 A F	1	6	A	F
after 50 pages	89,8	77,3	53,1	25,2
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,2	1,3	2,1	1,4

**Comparing print V2**

Color values 1 6 A F	1	6	A	F
after 50 pages	90,9	81,8	60,5	28,5
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,1	4,1	6,2	0,8

**Result determination**

Difference $\Delta L \leq 8$	1	6	A	F
	0,1	2,8	4,1	0,6
Difference within allowed parameters	YES	YES	YES	YES

**Checking toner adhesion**

Test process: visual (tape method):

Is the resistance in between the acceptable parameters? Yes  
 If not: Describe deviation

**Checking the grey page/color uniformity (5.6.5)**

Are the differences in brightness between the acceptable parameters (pattern B2)  $\Delta L \leq 5$ ? Yes  
 If not: Describe deviation

**Checking the background (5.6.6)**

Is the background smudge between the acceptable parameters (pattern B1)? Yes  
 If not: Describe deviation

**Checking the ghosting (5.6.7)**

Is the repeating of the back rectangles in between the acceptable parameters (pattern B2)?  
If not: Describe deviation

Yes

**Checking toner miscibility (5.6.8)**

Is the toner miscibility given?  
If not: Describe deviation

N/A

**OVERALL RESULT: Passed**